

Critical Care: Disinfectant-Fungicide-Virucide*
(EPA Registration No. 72977-3-69268)

Critical Care is formulated to use on critical disease transfer points. Critical Care offers a 30 second⁺⁺ immediate disinfection, 24-hour[§] residual bacteria kill. Critical Care is odorless with no harsh disinfectant smell and is ready-to-use with no sticky or dulling residue.

Critical Care Disinfectant-Virucidal-Fungicidal Information

Organism	Kill Time
‡ <i>Pseudomonas aeruginosa</i>	30 sec.
‡ <i>Salmonella enterica</i>	30 sec.
<i>Staphylococcus aureus</i>	2 min.
<i>Listeria monocytogenes</i>	2 min.
Vancomycin resistant <i>Enterococcus faecium</i> (VRE)	2 min.
Methicillin resistant <i>Staphylococcus aureus</i> (MRSA)	2 min.
Community Associated Methicillin resistant <i>Staphylococcus aureus</i> (CA-MRSA)	2 min.
Community Associated Methicillin resistant <i>Staphylococcus aureus</i> (CA-MRSA-PVL)	2 min.
<i>Escherichia coli</i> 0157:H7	2 min.
<i>Acinetobacter baumannii</i>	2 min.
<i>Campylobacter jejuni</i>	2 min.
<i>Trichophyton mentragrophytes</i> (Athlete's Foot Fungus)	10 min.
‡* HIV type 1-Strain HTLV IIIB	30 sec.
*Herpes Simplex Type 1 VR-733 F(1) Strain	1 min.
*Rotavirus	3 min.
*Human Coronavirus	3 min.
*Norovirus	10 min.
*Avian Influenza A	10 min.
*Influenza A VR-544, Hong Kong Strain	10 min.
*Rhinovirus R37 VR-1147, Strain 151-1	10 min.
*Polio Type 2, VR-1002 Lansing Strain	10 min.

* When used as directed Critical Care kills HIV type 1-Strain HTLV IIIB, Herpes Simplex Type 1 VR-733 F(1) Strain, Influenza A VR-544, Hong Kong Strain, Rhinovirus R37 VR-1147, Strain 151-1, Polio Type 2, VR-1002 Lansing Strain, Rotavirus, Norovirus, Human Coronavirus and Avian Influenza A.

⁺⁺ Organisms controlled with 30 second kill time.

[§] When used as directed provides protection from *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella enterica* up to 24 hrs after initial application. Do not touch treated surface after application if residual protection is to be maintained.